


PRICE LIST  
C41-103



# canplas<sup>®</sup>

## PVC SEWER FITTINGS



**JANUARY 4, 2010**  
**SUPERSEDES C41-102 (AUGUST 22, 2008)**

---

Visit us on the web for installation guidelines and operating instructions:  
[www.canplasplumbing.com](http://www.canplasplumbing.com) 1-888-461-5307

# TERMS AND CONDITIONS OF SALE

## TERMS

Cash discount 2% 15 days, net 30. The cash discount is allowed on merchandise only. Prices are subject to change and each order will be priced on the basis of prices in effect at the time of order. All orders are subject to approval of our office in Ontario, Canada. Possession of this price list does not necessarily constitute an offer by the Company to sell to the holder on the basis of the terms described hereon.

## MINIMUM ORDER

750 pieces

## TAXES

Any and all sales, manufacturers' taxes and/or other charges levied or imposed by any governmental authority, foreign or domestic, upon any merchandise sold or contacted to be sold shall be paid by Customer and added to the purchase price unless satisfactory and appropriate tax exception certificates are supplied to the Seller.

## OVERDUE INVOICES

Interest charged at a rate of 1.5% per month on all overdue invoices.

## FREIGHT

\$1,500 net for prepaid freight.

All shipments are F.O.B. seller's factory or authorized warehouse.

Prepaid orders will be shipped via the most economical route of our choice. If the Customer selects a route with a higher rate, the difference will be charged to the Customer.

## SHIPPING RESPONSIBILITY

Canplas' responsibility ceases when the carrier signs for the shipment in good order. We cannot be responsible for loss or damage to goods in transit, or delays or carriers in delivering shipments or for damages resulting from such delays as those caused by fire, explosion, act of God, strike or other difference with workmen, shortage of material or labor, delays in transportation, government restrictions, war, riot, civil commotion or cause beyond our control. Where shortage or damage is apparent, details should be noted by the carrier on the freight bill at the time of delivery. In case of concealed damage, carrier should be called at once to inspect the damaged shipment. Do not return damaged goods.

## RETURNED GOODS

A Returned Goods Authorization Form issued by Canplas must accompany goods which are returned. We reserve the right to refuse the return of any item that is not a regular stock item with Canplas. On items that are acceptable for credit, a restocking charge of twenty-five percent (25%) will be assessed against the credit to cover our handling, and/or inspecting or repackaging. Freight on returned goods will be the responsibility of the customer unless the reason for the return is due to defective goods. All goods returned must be in a saleable condition.

## WARRANTY

Seller's products are carefully inspected for manufacturing defects, however, it is not always possible to detect hidden defects. Said products are warranted only to the extent that Seller will replace without charge, products proven to have manufacturing defects within 6 months of the date of delivery thereof and provided Seller has been given an opportunity to inspect the product alleged to be defective and the installation or use thereof. **NO WARRANTY IS INCLUDED AGAINST ANY EXPENSE FOR REMOVAL, REINSTALLATION OR OTHER CONSEQUENTIAL DAMAGES ARISING FROM ANY DEFECT. THE WARRANTIES SET OUT ABOVE ARE THE ONLY WARRANTIES MADE BY SELLER AND ARE EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.**

CANPLAS INDUSTRIES LTD. reserves the right to change the aforementioned TERMS AND CONDITIONS OF SALE without notice.


















## CAUTION

















The Seller does not recommend the use of thermoplastic piping systems for transport or storage of compressed air or other compressed gases or the testing of such systems with compressed air or other compressed cases, in exposed, above ground locations. Use of plastic piping products in exposed compressed gas systems voids our warranty for the products so used. For further information, contact your Canplas representative.

















## OTHER






In addition to sizes listed in this price list, other sizes may be available upon request.

The product names used in this price list are for identification purposes only. All trademarks and registered trademarks are the property of their respective owners.

DESC.	PART NO.	BUILT-UP/ SKID QTY.	CTN. QTY.	SIZE	PRICE EACH	DESC.	PART NO.	BUILT-UP/ SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
<b>DWV ADAPTER SLEEVE</b> DWV Spg x Sewer Hub Spg x H						<b>DOWNSPOUT ADAPTER FOR CORRUGATED PIPE</b> Downspout x Corrugated Sewer Spigot H x Spg					
	412841BC	6000/3600	50	3 x 3	1.94		414471BC	1024	32	2 x 3 x 4	8.16
	412842BC	2800/1600	50	4 x 4	2.20		414473BC	768	24	3 x 4 x 4	19.01
	412846BC	750/450	25	6 x 6	8.52		414474BC	192	6	4 x 6 x 6	35.84
<b>FEMALE ADAPTER</b> H x FPT						<b>FLUSH DOWNSPOUT ADAPTER</b> Downspout x Sewer Hub H x H					
	414333BC	2940/1680	35	3	6.75		414461BC	1728	36	2 x 3 x 3	5.07
	414334BC	1680/960	20	4	7.29		414462BC	960	20	2 x 3 x 4	5.52
	414336BC	450/270	15	6	21.42		414463BC	768	24	3 x 4 x 4	11.75
	414338BC	120/72	1	8	42.62		414464BC	256	8	4 x 6 x 6	33.60
<b>FITTING CLEANOUT ADAPTER</b> Spg x HPT						<b>DOWNSPOUT ADAPTER</b> Downspout to Corrugated H x H					
	414233BC	3780/2160	45	3	4.56		414494BC	1440	45	4 (2 x 3)	3.52
	414234BC	2520/1440	60	4	5.17						
	414236BC	600/360	20	6	44.07						
	414238BC	240/144	8	8	104.75						
<b>MALE ADAPTER</b> H x MPT						<b>1/16 BEND (22½°)</b> H x H					
	414343BC	3360/1920	40	3	6.42		414203BC	2100/1200	25	3	5.93
	414344BC	1800/1080	15	4	6.86		414204BC	1050/630	35	4	5.07
							414206BC	360/216	12	6	19.96
							414208BC	84/48	1	8	62.06
<b>HUB ADAPTER, CAST IRON</b> Adapts Sewer Spigot to Cast Iron Hub						<b>1/16 BEND (22½°), Street</b> Spg x H					
	414248BC	360	20	4	7.68		414293BC	936	13	3	7.84
							414294BC	540	30	4	5.71
							414296BC	180	10	6	19.76
							414298BC	72	4	8	68.39
<b>NO HUB ADAPTER, CAST IRON</b> Adapts No Hub Elastomer Coupling to Sewer Spigot						<b>1/8 BEND (45°)</b> H x H					
	414246BC	1120/640	20	4	7.68		414182BC	2160	30	2	3.89
							414183BC	2100/1260	70	3	3.89
							414184BC	1050/630	35	4	4.68
							414186BC	300/180	10	6	15.13
							414188BC	84/48	1	8	33.19
<b>CLAY PIPE ADAPTER</b> Sewer Hub x Clay Hub						<b>1/8 BEND, Street (45°)</b> Spg x H					
	414250BC	756/432	9	4	18.65		414193BC	1800/1080	60	3	3.65
	414249BC	720	15	4	11.31		414194BC	1050/630	35	4	4.36
							414196BC	300/180	10	6	16.16
							414198BC	84/48	1	8	32.34
<b>CORRUGATED PIPE ADAPTER</b> Corrugated Pipe x Sewer Hub						<b>1/4 BEND (90°)</b> H x H					
	414444BC	1152	24	4	16.23		414153BC	1400/800	25	3	5.87
							414154BC	750/450	25	4	6.17
							414156BC	210/126	7	6	19.34
							414158BC	56/32	1	8	43.50
<b>DOWNSPOUT ADAPTER</b> Downspout x Sewer Hub H x H											
	414431BC	2240/1280	40	2 x 3 x 3	5.15						
	414432BC	2100/1200	25	2 x 3 x 4	5.60						
	414433BC	1170	65	3 x 4 x 3	16.81						
	414434BC	900/540	30	3 x 4 x 4	19.60						

DESC.	PART NO.	BUILT-UP/ SKID QTY.	CTN. QTY.	SIZE	PRICE EACH	DESC.	PART NO.	BUILT-UP/ SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
<b>1/4 BEND, Street (90°)</b>						<b>CAP Hub</b>					
Spg x H											
	414152BC	720/480	20	4	7.22	414263BC	5040/2880	60	3	2.51	
	414157BC	90	5	6	20.66	414264BC	2800/1600	50	4	3.00	
	414159BC	120/-	2	8	94.49	414266BC	900/540	30	6	14.37	
						414268BC	224/128	4	8	28.75	
<b>LONG SWEEP 1/4 BEND (90°)</b>						<b>FITTING CLEANOUT ADAPTER, with Plug</b>					
H x H						Spg x FPT (Gasketed Plug)					
	414162BC	3000/1800	25	2	4.83		414273BC	3360/1680	35	3	8.95
	414163BC	1200/720	40	3	5.87	414274BC	1680/960	30	4	11.11	
	414164BC	600/360	20	4	6.96	414276BC	336/192	6	6	72.89	
	414166BC	120/72	4	6	21.77						
	414168BC	6036	2	8	141.98						
<b>LONG SWEEP 1/4 BEND, Street (90°)</b>						<b>2-WAY CLEANOUT (SEWER)</b>					
Spg x H						H x H x H					
	414173BC	1120/640	20	3	6.15		414155BC	180	10	4	25.20
	414174BC	600/360	20	4	7.22						
	414176BC	120/72	4	6	20.66						
	414178BC	60/36	2	8	168.10						
<b>DWV REDUCER BUSHING</b>						<b>2-WAY CLEANOUT (SEWER x SEWER x DWV)</b>					
Sewer Spg x DWV Hub						H x H x H					
Spg x H											
	414225BC	4320/2592	18	3 x 1½	3.16	414150BC	180	10	4	24.15	
	414229BC	6000/3600	50	3 x 2	3.38						
	414221BC	3360/1920	40	4 x 1½	5.28						
	414222BC	3360/1920	40	4 x 2	7.22						
	414224BC	3360/1920	60	4 x 3	7.72						
	414230BC	1680/960	20	4 x 4	7.96						
	414327BC	720/432	24	6 x 3	19.34						
	414231BC	360/288	12	6 x 4	13.87						
	414232BC	360/216	12	6 x 6	32.55						
<b>REDUCING BUSHING</b>						<b>CLOSET FLANGE, ONE-PIECE PLASTIC</b>					
Sewer Spg x Sewer Hub						Sewer Hub					
Spg x H											
	414220BC	48002880	40	3 x 2	4.02	414252BC	1400/800	25	4 x 4	10.50	
	414205BC	2400/1440	20	4 x 2	7.84						
	414223BC	3660/1920	40	4 x 3	5.21						
	414325BC	720/432	24	6 x 3	15.53						
<b>EXTENDED REDUCER BUSHING</b>						<b>COUPLING</b>					
Spg x H						H x H					
	414323BC	1120/640	20	5 x 4	13.87		414211BC	84/48	1	8 x 6	68.40
	414226BC	360	20	6 x 4	6.95	414213BC	2800/1600	50	3	2.39	
	414302BC	240/144	8	8 x 4	54.88	414214BC	1650/990	55	4	2.77	
	414303BC	240/144	8	8 x 6	56.02	414216BC	300/240	10	6	8.64	
						414215BC	84/48	1	8	20.28	
<b>REDUCER BUSHING</b>						<b>REPAIR COUPLING</b>					
Chamfered Sewer Spg x Sewer Hub						H x H					
Spg x H											
	414484BC	144	8	8 x 4	62.17	414314BC	960	40	4	4.68	
	414486BC	90	5	8 x 6	68.40	414316BC	360/216	12	6	9.01	
<b>GASKETED BUSHING</b>						<b>DWV INCREASER COUPLING</b>					
						Sewer Hub x DWV Hub					
	411242BC	640	20	5 x 4	39.93	H x H					
							414201BC	2160	15	3 x 1½	16.81
							414202BC	2160	15	3X2	16.81
							414218BC	2100/1200	25	4 x 3	5.00
							414210BC	1260/720	15	4 x 4	5.93
							414227BC	600/360	20	6 x 4	16.88
							414228BC	300/180	10	6 x 6	17.81

DESC.	PART NO.	BUILT-UP/ SKID QTY.	CTN. QTY.	SIZE	PRICE EACH	DESC.	PART NO.	BUILT-UP/ SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
<b>INCREASER COUPLING with Pipe Stop</b> Sewer Hub x Sewer Hub H x H						<b>TEE</b> H x H x H					
	414212BC	2160	15	3X2	12.87		414103BC	1050/630	35	3	6.11
	414217BC	2520/1440	30	4 x 3	4.25		414104BC	600/360	20	4	6.82
	414219BC	600/360	20	6 x 4	13.06		414107BC	600/360	20	4 x 4 x 3	12.36
	414209BC	240/144	8	8 x 4	27.35		414106BC	150/90	5	6	27.55
<b>CROSS</b> H x H x H x H							414108BC	120/108	6	6 x 6 x 4	28.71
	414450BC	180	10	4	13.87		414109BC	30/24	1	8	60.48
<b>INSERT DRAIN GRATE</b> Spg x Drain Grate							414110BC	84/32	1	8 x 8 x 4	32.35
	414253BC	6000/3600	25	3	5.69		414111BC	56/32	1	8 x 8 x 6	40.06
	414254BC	4200/2400	50	4	6.03	<b>CLEANOUT TEE</b> H x H x FPT					
	414256BC	840/480	15	6	8.47		414105BC	270	15	4	10.72
	414258BC	252/144	3	8	163.59	<b>SANITARY TEE</b> H x H x H					
<b>P TRAP (Solvent Weld)</b> H x H							414123BC	750/450	25	3	7.29
	414260BC	336/192	6	3	22.57		414124BC	360/216	12	4	9.46
	414270BC	180/108	6	4	28.00		414125BC	150/90	5	6 x 6 x 4	40.20
<b>COUNTERSUNK PLUG, Threaded</b> MPT							414126BC	126/72	3	6	60.90
	414240BC	7200/4320	60	4	4.20		414127BC	30/18	1	8	178.86
<b>THREADED PLUG</b> MPT							414128BC	60/36	2	8 x 8 x 4	82.75
	414243BC	9000/5400	75	3	2.87		414129BC	60/36	2	8 x 8 x 6	84.15
	414244BC	5400/2880	60	4	4.10	<b>SANITARY TEE, Street</b> Spg x H x H					
	414286BC	2100/1200	25	6	16.68		414120BC	360/216	12	4	9.46
	414288BC	144	1	8	24.39		414826BC	150/90	5	6	52.85
<b>SADDLE TEE</b> Solvent Skirt x Solvent Hub							414825BC	240/144	8	6 x 6 x 4	40.18
	414746BC	450/270	15	4 on 6	30.39	<b>STREET TEE</b> Spg x H x H					
	414748BC	750/450	25	4 on 8	45.37		414114BC	600/360	20	4	8.14
	414768BC	300/180	10	6 on 8	47.19	<b>WYE (45°)</b> H x H x H					
<b>SADDLE WYE</b> Solvent Skirt x Solvent Hub							414133BC	750/450	25	3	7.29
	414846BC	450/180	15	4 on 6	32.94		414131BC	840/480	15	3 x 3 x 2	10.60
	414848BC	210/120	5	4 on 8	52.43		414134BC	360/216	12	4	7.60
	414868BC	180/108	6	6 on 8	59.17		414141BC	360/216	12	4 x 4 x 2	15.00
<b>STAINLESS STEEL CLAMP</b>							414132BC	360/216	12	4 x 4 x 3	15.67
	414906BC	-	100	6	10.00		414136BC	120/72	4	6	28.36
	414908BC	7200	100	8	13.98		414135BC	150/90	5	6 x 6 x 4	25.34
							414137BC	30/18	1	8	62.33
							414138BC	84/48	1	8 x 8 x 4	57.44
							414139BC	30/18	1	8 x 8 x 6	59.85
						<b>WYE, Street (45°)</b> Spg x H x H					
							414144BC	360/216	12	4	8.71
							414146BC	120/72	4	6	28.29
							414145BC	108	6	6 x 4	17.15

DESC.	PART NO.	BUILT-UP/ SKID QTY.	CTN. QTY.	SIZE	PRICE EACH	
<b>DOUBLE WYE (45°)</b> H x H x H x H						<b>APPROVALS:</b> Unless otherwise noted, products are approved / listed by CSA International, NSF and IAPMO to standards that include:
	414130BC	90/54	3	6 x 6 x 4 x 4	61.61	
<b>DOUBLE WYE, Street (45°)</b> Spq x H x H x H						CSA B181.2   IAPMO IS5, IGC 166-2001   ASTM D1784, D2729, D3034 
	414140BC	90/54	3	6 x 6 x 4 x 4	74.61	

**Notes:**

**NUMERICAL INDEX**

<b>PART NO.</b>	<b>WEIGHT (KGS.)</b>	<b>CARTON BAR CODE</b>	<b>LOCATION IN PRICE LIST (PAGE #)</b>	<b>PART NO.</b>	<b>WEIGHT (KGS.)</b>	<b>CARTON BAR CODE</b>	<b>LOCATION IN PRICE LIST (PAGE #)</b>
411242BC	0.366	11662671412603	3	414193BC	0.168	11662671410265	3
412841BC	0.053	11662671410012	3	414194BC	0.212	11662671410272	3
412842BC	0.086	11662671410029	3	414196BC	0.778	11662671411538	3
412846BC	0.317	11662671410746	3	414198BC	2.381	11662671412009	3
414103BC	0.210	11662671410036	5	414201BC	0.121	10662671412598	4
414104BC	0.382	11662671410043	5	414203BC	0.109	11662671410289	3
414105BC	0.454	11662671411750	5	414204BC	0.230	11662671410296	3
414106BC	1.367	11662671410050	5	414205BC	0.160	11662671410821	4
414107BC	0.549	11662671410708	5	414206BC	0.697	11662671410302	3
414108BC	1.128	11662671410616	5	414208BC	2.041	11662671412030	3
414109BC	3.931	11662671411880	5	414209BC	1.304	11662671411682	5
414110BC	2.608	11662671411811	5	414210BC	0.287	11662671411606	4
414111BC	3.175	11662671411958	5	414211BC	1.361	11662671412047	4
414114BC	0.383	11662671410067	5	414213BC	0.092	11662671410319	4
414120BC	0.990	11662671411965	5	414214BC	0.166	11662671410326	4
414123BC	0.283	11662671410074	5	414215BC	1.814	11662671411620	4
414124BC	0.531	11662671410081	5	414216BC	0.571	11662671410333	4
414125BC	1.421	11662671411835	5	414217BC	0.172	11662671410340	5
414126BC	2.092	11662671411491	5	414218BC	0.222	11662671410357	4
414127BC	4.994	11662671411972	5	414219BC	0.494	11662671410364	5
414128BC	2.948	11662671411989	5	414220BC	0.086	11662671411903	4
414129BC	3.856	11662671411804	5	414221BC	0.158	11662671410371	4
414130BC	1.663	11662671411828	6	414222BC	0.150	11662671410388	4
414131BC	0.565	11662671412535	5	414223BC	0.176	11662671410395	4
414132BC	0.725	11662671410098	5	414224BC	0.202	11662671410401	4
414133BC	0.280	11662671410104	5	414225BC	0.125	11662671411705	4
414134BC	0.610	11662671410111	5	414226BC	0.480	11662671410418	4
414135BC	1.217	11662671410128	5	414227BC	0.586	11662671411613	4
414136BC	1.818	11662671410135	5	414228BC	0.820	11662671411743	4
414137BC	4.990	11662671410647	5	414229BC	0.121	11662671411668	4
414138BC	2.948	11662671411927	5	414230BC	0.204	11662671412139	4
414139BC	3.629	11662671410739	5	414231BC	0.575	11662671410685	4
414140BC	1.663	11662671412061	6	414232BC	0.832	11662671412146	4
414141BC	0.704	11662671410142	5	414233BC	0.133	11662671410425	3
414144BC	0.537	11662671410159	5	414234BC	0.216	11662671410432	3
414145BC	1.285	10662671412642	5	414236BC	0.477	11662671411941	3
414146BC	2.268	11662671412078	5	414238BC	1.077	11662671412153	3
414150BC	0.771	11662671412085	4	414202BC	0.121	10662671412581	4
414152BC	0.335	11662671411767	4	414240BC	0.106	11662671410449	5
414153BC	0.258	11662671410166	3	414243BC	0.094	11662671410456	5
414154BC	0.288	11662671410173	3	414244BC	0.154	11662671410463	5
414155BC	0.776	11662671411590	4	414246BC	0.325	11662671410470	3
414156BC	1.216	11662671410180	3	414248BC	0.325	11662671412467	3
414157BC	1.247	11662671410623	4	414249BC	0.212	11662671412160	3
414158BC	2.948	11662671411644	3	414250BC	0.155	11662671410487	3
414159BC	2.948	11662671412092	4	414252BC	0.399	11662671410494	4
414162BC	0.100	11662671412542	4	414253BC	0.076	11662671410807	5
414163BC	0.199	11662671410197	4	414254BC	0.164	11662671410500	5
414164BC	0.463	11662671410203	4	414256BC	0.635	11662671410753	5
414166BC	1.226	11662671411651	4	414258BC	1.663	11662671411699	5
414168BC	3.629	11662671412108	4	414260BC	0.591	11662671410517	5
414173BC	0.206	11662671410210	4	414263BC	0.070	11662671410524	4
414174BC	0.425	11662671410227	4	414264BC	0.129	11662671410531	4
414176BC	1.512	11662671411774	4	414266BC	0.436	11662671410548	4
414178BC	3.402	11662671412115	4	414268BC	1.134	11662671411569	4
414182BC	0.120	11662671412122	3	414270BC	1.315	11662671410555	5
414183BC	0.119	11662671410234	3	414273BC	0.226	11662671410562	4
414184BC	0.232	11662671410241	3	414274BC	0.374	11662671410579	4
414186BC	0.803	11662671410258	3	414276BC	0.857	11662671412498	4
414188BC	2.381	11662671410630	3	414286BC	0.354	11662671410586	5

**NUMERICAL INDEX**

PART NO.	WEIGHT (KGS.)	CARTON BAR CODE	LOCATION IN PRICE LIST (PAGE #)	PART NO.	WEIGHT (KGS.)	CARTON BAR CODE	LOCATION IN PRICE LIST (PAGE #)
414288BC	0.624	11662671412504	5	414444BC	0.189	11662671411729	3
414293BC	0.140	11662671412443	3	414450BC	1.133	11662671411514	5
414294BC	0.227	11662671410654	3	414461BC	0.113	11662671412238	3
414296BC	0.664	11662671411736	3	414462BC	0.186	11662671412245	3
414298BC	2.155	11662671412177	3	414463BC	0.227	11662671412252	3
414302BC	1.191	11662671410692	4	414464BC	0.567	11662671412269	3
414303BC	1.411	11662671411637	4	414471BC	0.184	11662671412276	3
414314BC	0.160	11662671411873	4	414473BC	0.227	11662671412511	3
414316BC	0.553	11662671411866	4	414474BC	0.605	11662671412528	3
414323BC	0.300	11662671412191	4	414484BC	1.417	11662671412283	4
414325BC	0.578	11662671411781	4	414486BC	0.133	11662671412290	4
414327BC	0.614	11662671411798	4	414494BC	0.100	11662671412566	3
414333BC	0.161	11662671410593	3	414746BC	0.832	11662671412351	5
414334BC	0.260	11662671410609	3	414748BC	1.285	11662671412368	5
414336BC	0.544	11662671410777	3	414768BC	0.454	11662671412375	5
414338BC	1.191	11662671412207	3	414825BC	1.306	11662671412382	5
414343BC	0.125	11662671412214	3	414826BC	1.960	11662671412399	5
414344BC	0.197	11662671410661	3	414846BC	0.907	11662671410678	5
414431BC	0.176	11662671410791	3	414848BC	1.361	11662671412405	5
414432BC	0.244	11662671410722	3	414868BC	1.814	11662671412412	5
414433BC	0.195	11662671411712	3	414906BC	0.064	11662671412429	5
414434BC	0.251	11662671410715	3	414908BC	0.073	11662671412436	5

+ Approvals pending

† No code or approval requirement

**canplas®**  
**PVC SEWER FITTINGS**



**Head Office, Manufacturing Location and Customer Service Centre**  
500 VETERANS DRIVE, BOX 1800  
BARRIE, ON L4M 4V3  
CANADA  
TELEPHONE: (705) 726-3361  
FAX: (705) 726-2186  
EMAIL: plumbing@canplas.com

**Customer Service Centre and Sales Office**  
9489 - 200 STREET, UNIT 201  
LANGLEY, B.C. V1M 3A7  
CANADA  
TELEPHONE: (604) 455-0432  
FAX: (604) 455-0452

**Customer Service Centre and Sales Office**  
11408-163rd STREET  
EDMONTON, AB T5M 3T3  
CANADA  
TELEPHONE: (780) 451-3206  
FAX: (780) 452-0536

**www.canplasplumbing.com**  
**1-800-461-5300**